

AMENDMENT TO THE SPECIFICATION

Please amend the paragraph appearing on page 1, line 23 and ending on page 10, line 3 with the following amended paragraph:

It is frequently desirable to ascertain the condition of a storage battery. Various testing techniques have been developed over the long history of storage batteries. For example, one technique involves the use of a hygrometer in which the specific gravity of the acid mixture in the battery is measured. Electrical testing has also been used to provide less invasive battery testing techniques. A very simple electrical test is to simply measure the voltage across the battery. If the voltage is below a certain threshold, the battery is determined to be bad. Another technique for testing a battery is referred to as a load test. In the load test, the battery is discharged using a known load. As the battery is discharged, the voltage across the battery is monitored and used to determine the condition of the battery. More recently, a technique has been pioneered by Dr. Keith S. Champlin and Midtronics, Inc. of Willowbrook, Illinois for testing storage batteries by measuring a dynamic parameter of the battery such as the dynamic conductance of the battery. This technique is described in a number of United States patents and United States patent applications, for example U.S. Patent No. 3,873,911, issued March 25, 1975, to Champlin, entitled ELECTRONIC BATTERY TESTING DEVICE; U.S. Patent No. 3,909,708, issued September 30, 1975, to Champlin, entitled ELECTRONIC BATTERY TESTING DEVICE; U.S. Patent No. 4,816,768, issued March 28, 1989, to Champlin, entitled ELECTRONIC BATTERY TESTING DEVICE; U.S. Patent No. 4,825,170, issued April 25, 1989, to Champlin, entitled ELECTRONIC BATTERY TESTING DEVICE WITH AUTOMATIC VOLTAGE SCALING; U.S. Patent No. 4,881,038, issued November 14, 1989, to Champlin, entitled ELECTRONIC BATTERY

TESTING DEVICE WITH AUTOMATIC VOLTAGE SCALING TO DETERMINE DYNAMIC CONDUCTANCE; U.S. Patent No. 4,912,416, issued March 27, 1990, to Champlin, entitled ELECTRONIC BATTERY TESTING DEVICE WITH STATE-OF-CHARGE COMPENSATION; U.S. Patent No. 5,140,269, issued August 18, 1992, to Champlin, entitled ELECTRONIC TESTER FOR ASSESSING BATTERY/CELL CAPACITY; U.S. Patent No. 5,343,380, issued August 30, 1994, entitled METHOD AND APPARATUS FOR SUPPRESSING TIME VARYING SIGNALS IN BATTERIES UNDERGOING CHARGING OR DISCHARGING; U.S. Patent No. 5,572,136, issued November 5, 1996, entitled ELECTRONIC BATTERY TESTER WITH AUTOMATIC COMPENSATION FOR LOW STATE-OF-CHARGE; U.S. Patent No. 5,574,355, issued November 12, 1996, entitled METHOD AND APPARATUS FOR DETECTION AND CONTROL OF THERMAL RUNAWAY IN A BATTERY UNDER CHARGE; U.S. Patent No. 5,585,416, issued December 10, 1996, entitled APPARATUS AND METHOD FOR STEP-CHARGING BATTERIES TO OPTIMIZE CHARGE ACCEPTANCE; U.S. Patent No. 5,585,728, issued December 17, 1996, entitled ELECTRONIC BATTERY TESTER WITH AUTOMATIC COMPENSATION FOR LOW STATE-OF-CHARGE; U.S. Patent No. 5,589,757, issued December 31, 1996, entitled APPARATUS AND METHOD FOR STEP-CHARGING BATTERIES TO OPTIMIZE CHARGE ACCEPTANCE; U.S. Patent No. 5,592,093, issued January 7, 1997, entitled ELECTRONIC BATTERY TESTING DEVICE LOOSE TERMINAL CONNECTION DETECTION VIA A COMPARISON CIRCUIT; U.S. Patent No. 5,598,098, issued January 28, 1997, entitled ELECTRONIC BATTERY TESTER WITH VERY HIGH NOISE IMMUNITY; U.S. Patent No. 5,656,920, issued August 12, 1997, entitled METHOD FOR OPTIMIZING THE CHARGING LEAD-ACID BATTERIES AND AN INTERACTIVE CHARGER; U.S. Patent No. 5,757,192, issued May 26, 1998, entitled METHOD AND APPARATUS FOR DETECTING A BAD CELL IN A STORAGE BATTERY; U.S. Patent No. 5,821,756, issued October 13, 1998, entitled ELECTRONIC BATTERY TESTER WITH TAILORED COMPENSATION FOR LOW STATE-OF-CHARGE; U.S. Patent No. 5,831,435, issued November 3, 1998, entitled BATTERY TESTER FOR JIS STANDARD; U.S. Patent No. 5,914,605, issued June 22, 1999, entitled ELECTRONIC BATTERY TESTER; U.S. Patent No.

5,945,829, issued August 31, 1999, entitled MIDPOINT BATTERY MONITORING; U.S. Patent No. 6,002,238, issued December 14, 1999, entitled METHOD AND APPARATUS FOR MEASURING COMPLEX IMPEDANCE OF CELLS AND BATTERIES; U.S. Patent No. 6,037,751, issued March 14, 2000, entitled APPARATUS FOR CHARGING BATTERIES; U.S. Patent No. 6,037,777, issued March 14, 2000, entitled METHOD AND APPARATUS FOR DETERMINING BATTERY PROPERTIES FROM COMPLEX IMPEDANCE/ADMITTANCE; U.S. Patent No. 6,051,976, issued April 18, 2000, entitled METHOD AND APPARATUS FOR AUDITING A BATTERY TEST; U.S. Patent No. 6,081,098, issued June 27, 2000, entitled METHOD AND APPARATUS FOR CHARGING A BATTERY; U.S. Patent No. 6,091,245, issued July 18, 2000, entitled METHOD AND APPARATUS FOR AUDITING A BATTERY TEST; U.S. Patent No. 6,104,167, issued August 15, 2000, entitled METHOD AND APPARATUS FOR CHARGING A BATTERY; U.S. Patent No. 6,137,269, issued October 24, 2000, entitled METHOD AND APPARATUS FOR ELECTRONICALLY EVALUATING THE INTERNAL TEMPERATURE OF AN ELECTROCHEMICAL CELL OR BATTERY; U.S. Patent No. 6,163,156, issued December 19, 2000, entitled ELECTRICAL CONNECTION FOR ELECTRONIC BATTERY TESTER; U.S. Patent No. 6,172,483, issued January 9, 2001, entitled METHOD AND APPARATUS FOR MEASURING COMPLEX IMPEDANCE OF CELL AND BATTERIES; U.S. Patent No. 6,172,505, issued January 9, 2001, entitled ELECTRONIC BATTERY TESTER; U.S. Patent No. 6,222,369, issued April 24, 2001, entitled METHOD AND APPARATUS FOR DETERMINING BATTERY PROPERTIES FROM COMPLEX IMPEDANCE/ADMITTANCE; U.S. Patent No. 6,225,808, issued May 1, 2001, entitled TEST COUNTER FOR ELECTRONIC BATTERY TESTER; U.S. Patent No. 6,249,124, issued June 19, 2001, entitled ELECTRONIC BATTERY TESTER WITH INTERNAL BATTERY; U.S. Patent No. 6,259,254, issued July 10, 2001, entitled APPARATUS AND METHOD FOR CARRYING OUT DIAGNOSTIC TESTS ON BATTERIES AND FOR RAPIDLY CHARGING BATTERIES; U.S. Patent No. 6,262,563, issued July 17, 2001, entitled METHOD AND APPARATUS FOR MEASURING COMPLEX ADMITTANCE OF CELLS AND BATTERIES; U.S. Patent No. 6,294,896,

issued September 25, 2001; entitled METHOD AND APPARATUS FOR MEASURING COMPLEX SELF-IMMITANCE OF A GENERAL ELECTRICAL ELEMENT; U.S. Patent No. 6,294,897, issued September 25, 2001, entitled METHOD AND APPARATUS FOR ELECTRONICALLY EVALUATING THE INTERNAL TEMPERATURE OF AN ELECTROCHEMICAL CELL OR BATTERY; U.S. Patent No. 6,304,087, issued October 16, 2001, entitled APPARATUS FOR CALIBRATING ELECTRONIC BATTERY TESTER; U.S. Patent No. 6,310,481, issued October 30, 2001, entitled ELECTRONIC BATTERY TESTER; U.S. Patent No. 6,313,607, issued November 6, 2001, entitled METHOD AND APPARATUS FOR EVALUATING STORED CHARGE IN AN ELECTROCHEMICAL CELL OR BATTERY; U.S. Patent No. 6,313,608, issued November 6, 2001, entitled METHOD AND APPARATUS FOR CHARGING A BATTERY; U.S. Patent No. 6,316,914, issued November 13, 2001, entitled TESTING PARALLEL STRINGS OF STORAGE BATTERIES; U.S. Patent No. 6,323,650, issued November 27, 2001, entitled ELECTRONIC BATTERY TESTER; U.S. Patent No. 6,329,793, issued December 11, 2001, entitled METHOD AND APPARATUS FOR CHARGING A BATTERY; U.S. Patent No. 6,331,762, issued December 18, 2001, entitled ENERGY MANAGEMENT SYSTEM FOR AUTOMOTIVE VEHICLE; U.S. Patent No. 6,332,113, issued December 18, 2001, entitled ELECTRONIC BATTERY TESTER; U.S. Patent No. 6,351,102, issued February 26, 2002, entitled AUTOMOTIVE BATTERY CHARGING SYSTEM TESTER; U.S. Patent No. 6,359,441, issued March 19, 2002, entitled ELECTRONIC BATTERY TESTER; U.S. Patent No. 6,363,303, issued March 26, 2002, entitled ALTERNATOR DIAGNOSTIC SYSTEM, U.S. Patent No. 6,392,414, issued May 21, 2002, entitled ELECTRONIC BATTERY TESTER; U.S. Patent No. 6,417,669, issued July 9, 2002, entitled SUPPRESSING INTERFERENCE IN AC MEASUREMENTS OF CELLS, BATTERIES AND OTHER ELECTRICAL ELEMENTS; U.S. Patent No. 6,424,158, issued July 23, 2002, entitled APPARATUS AND METHOD FOR CARRYING OUT DIAGNOSTIC TESTS ON BATTERIES AND FOR RAPIDLY CHARGING BATTERIES; U.S. Patent No. 6,441,585, issued August 17, 2002, entitled APPARATUS AND METHOD FOR TESTING RECHARGEABLE ENERGY STORAGE BATTERIES; U.S. Patent No. 6,445,158, issued

September 3, 2002, entitled VEHICLE ELECTRICAL SYSTEM TESTER WITH ENCODED OUTPUT; U.S. Patent No. 6,456,045, issued September 24, 2002, entitled INTEGRATED CONDUCTANCE AND LOAD TEST BASED ELECTRONIC BATTERY TESTER; U.S. Serial No. 09/703,270, filed October 31, 2000, entitled ELECTRONIC BATTERY TESTER; U.S. Serial No. 09/780,146, filed February 9, 2001, entitled STORAGE BATTERY WITH INTEGRAL BATTERY TESTER; U.S. Serial No. 09/816,768, filed March 23, 2001, entitled MODULAR BATTERY TESTER; U.S. Serial No. 09/756,638, filed January 8, 2001, entitled METHOD AND APPARATUS FOR DETERMINING BATTERY PROPERTIES FROM COMPLEX IMPEDANCE/ADMITTANCE; U.S. Serial No. 09/862,783, filed May 21, 2001, entitled METHOD AND APPARATUS FOR TESTING CELLS AND BATTERIES EMBEDDED IN SERIES/PARALLEL SYSTEMS; U.S. Serial No. 09/483,623, filed January 13, 2000, entitled ALTERNATOR TESTER; U.S. Serial No. 09/960,117, filed September 20, 2001, entitled IN-VEHICLE BATTERY MONITOR; U.S. Serial No. 09/908,389, filed July 18, 2001, entitled BATTERY CLAMP WITH INTEGRATED CIRCUIT SENSOR; U.S. Serial No. 09/908,278, filed July 18, 2001, entitled BATTERY CLAMP WITH EMBEDDED ENVIRONMENT SENSOR; U.S. Serial No. 09/880,473, filed June 13, 2001; entitled BATTERY TEST MODULE; U.S. Serial No. 09/940,684, filed August 27, 2001, entitled METHOD AND APPARATUS FOR EVALUATING STORED CHARGE IN AN ELECTROCHEMICAL CELL OR BATTERY; U.S. Serial No. 09/977,049, filed October 12, 2001, entitled PROGRAMMABLE CURRENT EXCITER FOR MEASURING AC IMMITTANCE OF CELLS AND BATTERIES; U.S. Serial No. 60/330,441, filed October 17, 2001, entitled ELECTRONIC BATTERY TESTER WITH RELATIVE TEST OUTPUT; U.S. Serial No. 60/348,479, filed October 29, 2001, entitled CONCEPT FOR TESTING HIGH POWER VRLA BATTERIES; U.S. Serial No. 10/046,659, filed October 29, 2001, entitled ENERGY MANAGEMENT SYSTEM FOR AUTOMOTIVE VEHICLE; U.S. Serial No. 09/993,468, filed November 14, 2001, entitled KELVIN CONNECTOR FOR A BATTERY POST; U.S. Serial No. 09/992,350, filed November 26, 2001, entitled ELECTRONIC BATTERY TESTER, U.S. Serial No.

60/341,902, filed December 19, 2001, entitled BATTERY TESTER MODULE; U.S. Serial No. 10/042,451, filed January 8, 2002, entitled BATTERY CHARGE CONTROL DEVICE, U.S. Serial No. 10/073,378, filed February 8, 2002, entitled METHOD AND APPARATUS USING A CIRCUIT MODEL TO EVALUATE CELL/BATTERY PARAMETERS; U.S. Serial No. 10/093,853, filed March 7, 2002, entitled ELECTRONIC BATTERY TESTER WITH NETWORK COMMUNICATION; U.S. Serial No. 60/364,656, filed March 14, 2002, entitled ELECTRONIC BATTERY TESTER WITH LOW TEMPERATURE RATING DETERMINATION; U.S. Serial No. 10/098,741, filed March 14, 2002, entitled METHOD AND APPARATUS FOR AUDITING A BATTERY TEST; U.S. Serial No. 10/101,543, filed March 19, 2002, entitled ELECTRONIC BATTERY TESTER; U.S. Serial No. 10/112,114, filed March 28, 2002; U.S. Serial No. 10/109,734, filed March 28, 2002; U.S. Serial No. 10/112,105, filed March 28, 2002, entitled CHARGE CONTROL SYSTEM FOR A VEHICLE BATTERY; U.S. Serial No. 10/112,998, filed March 29, 2002, entitled BATTERY TESTER WITH BATTERY REPLACEMENT OUTPUT; U.S. Serial No. 10/119,297, filed April 9, 2002, entitled METHOD AND APPARATUS FOR TESTING CELLS AND BATTERIES EMBEDDED IN SERIES/PARALLEL SYSTEMS; U.S. Serial No. 10/128,790, filed April 22, 2002, entitled METHOD OF DISTRIBUTING JUMP-START BOOSTER PACKS; U.S. Serial No. 60/379,281, filed May 8, 2002, entitled METHOD FOR DETERMINING BATTERY STATE OF CHARGE; U.S. Serial No. 10/143,307, filed May 10, 2002, entitled ELECTRONIC BATTERY TESTER; U.S. Serial No. 60/387,046, filed June 7, 2002, entitled METHOD AND APPARATUS FOR INCREASING THE LIFE OF A STORAGE BATTERY; U.S. Serial No. 10/177,635, filed June 21, 2002, entitled BATTERY CHARGER WITH BOOSTER PACK; U.S. Serial No. 10/207,495, filed July 29, 2002, entitled KELVIN CLAMP FOR ELECTRICALLY COUPLING TO A BATTERY CONTACT; U.S. Serial No. 10/200,041, filed July 19, 2002, entitled AUTOMOTIVE VEHICLE ELECTRICAL SYSTEM DIAGNOSTIC DEVICE; U.S. Serial No. 10/217,913, filed August 13, 2002, entitled, BATTERY TEST MODULE; U.S. Serial No. 60/408,542, filed September 5, 2002,

entitled BATTERY TEST OUTPUTS ADJUSTED BASED UPON TEMPERATURE;  
U.S. Serial No. ~~10/\_\_\_\_\_~~, ~~(C382.12-0124)~~10/246,439, filed  
September 18, 2002, entitled BATTERY TESTER UPGRADE USING SOFTWARE  
KEY; U.S. Serial No. ~~60/\_\_\_\_\_~~, ~~(C382.12-0137)~~60/415,399, filed  
October 2, 2002, entitled QUERY BASED ELECTRONIC BATTERY TESTER;  
and U.S. Serial No. ~~10/\_\_\_\_\_~~, ~~(C382.12-0101)~~10/263,473,  
filed October 2, 2002, entitled ELECTRONIC BATTERY TESTER WITH  
RELATIVE TEST OUTPUT, which are incorporated herein in their  
entirety.